



206



221



236



237

## Plumbing and Heating Valves

Code#	Description	Size	Mfg#	Box Qty
-------	-------------	------	------	---------

### 206 Bronze Threaded Gate Valve

- 125# WSP / 200# WOG
- Solid Disc
- Screw Over Bonnet - Sizes 1/4" - 2"
- Non-Rising Stem
- Bronze Body
- Threaded Ends
- Inserted Bonnet - Sizes 2-1/2" - 4"
- NSF to 2"

28-1420	Gate Valve 125 IP	3/4	206A	6
28-1425	Gate Valve 125 IP	1	206A	5
28-1430	Gate Valve 125 IP	1-1/4	206A	4
28-1435	Gate Valve 125 IP	1-1/2	206A	4
28-1440	Gate Valve 125 IP	2	206A	3

### 221 Bronze Threaded Globe Valve

- 150# WSP / 300# WOG
- Threaded Ends
- PTFE Disc
- Bronze Body
- Union Bonnet
- MSS-SP-80

28-6301	Globe 300# WOG	1/2	221	60
28-6306	Globe 300# WOG	3/4	221	40
28-6311	Globe 300# WOG	1	221	30

### 236 Bronze Threaded Swing Check Valve

- 125# WSP / 200# WOG
- Threaded Ends
- "Y" Pattern
- MSS-SP-80
- Bronze Body
- Swing Check
- Bronze Disc
- NSF to 2"

28-4615	Check Valve 125 IP	1/2	236	96
28-4620	Check Valve 125 IP	3/4	236	60
28-4625	Check Valve 125 IP	1	236	48
28-4630	Check Valve 125 IP	1-1/4	236	24

### 237 Bronze Solder End Swing Check Valve

- 125 WSP / 200# WOG
- Bronze disc
- Swing check
- Threaded cap
- NSF to 2"
- Cast bronze body
- Solder ends
- "Y" Pattern
- MSS-SP-80

28-4815	Check Valve 125 CC	1/2	237	96
28-4820	Check Valve 125 CC	3/4	237	60
28-4825	Check Valve 125 CC	1	237	48



5044F

Code#	Description	Size	Mfg#	Box Qty
<b>5044F Brass Ball Valve</b>				
<ul style="list-style-type: none"> <li>• 150#WSP / 600# WOG</li> <li>• Full Port</li> <li>• Threaded Ends</li> <li>• MSS-SP-110</li> <li>• CSA 1/2 &amp; 5 PSI (2-1/2"-3")</li> <li>• UL Approved 1/4"-2"</li> </ul>		<ul style="list-style-type: none"> <li>• Forged Brass Body</li> <li>• Adjustable Packing</li> <li>• Blowout Proof Stem</li> <li>• CSA 1/2, 5 &amp; 125 PSI (1/2"-2")</li> <li>• NSF 1/4"-2"</li> <li>• FM Approved 1/2"-2"</li> </ul>		
28-8613	Ball Valve 150 IP	1/4	5044F	80
28-8614	Ball Valve 150 IP	3/8	5044F	80
28-8615	Ball Valve 150 IP	1/2	5044F	80
28-8620	Ball Valve 150 IP	3/4	5044F	60
28-8625	Ball Valve 150 IP	1	5044F	45
28-8630	Ball Valve 150 IP	1-1/4	5044F	30
28-8635	Ball Valve 150 IP	1-1/2	5044F	24
28-8640	Ball Valve 150 IP	2	5044F	15



5049F

<b>5049F Brass Ball Valve</b>				
<ul style="list-style-type: none"> <li>• 150#WSP / 600# WOG</li> <li>• Full Port</li> <li>• Solder Ends</li> <li>• NSF through 2"</li> </ul>		<ul style="list-style-type: none"> <li>• Forged Brass Body</li> <li>• Adjustable Packing</li> <li>• Blowout Proof Stem</li> </ul>		
28-8815	Ball Valve 150 CC	1/2	5049F	80
28-8820	Ball Valve 150 CC	3/4	5049F	60
28-8825	Ball Valve 150 CC	1	5049F	45
28-8830	Ball Valve 150 CC	1-1/4	5049F	30
28-8835	Ball Valve 150 CC	1-1/2	5049F	24
28-8840	Ball Valve 150 CC	2	5049F	15



5060

<b>5060 Brass Ball Valve</b>				
<ul style="list-style-type: none"> <li>• 600# WOG</li> <li>• Full Port</li> <li>• Adjustable Packing</li> <li>• Blowout Proof Stem</li> </ul>		<ul style="list-style-type: none"> <li>• Forged Brass Body</li> <li>• Drain Port on Body</li> <li>• Threaded Ends</li> <li>• NSF 1/2"-1"</li> </ul>		
28-8549	Ball Valve with Drain; IPS	3/4	5060	80



5063

<b>5063 Brass Ball Valve</b>				
<ul style="list-style-type: none"> <li>• 600# WOG</li> <li>• Full Port</li> <li>• Adjustable Packing</li> <li>• Blowout Proof Stem</li> </ul>		<ul style="list-style-type: none"> <li>• Forged Brass Body</li> <li>• Drain Port on Body</li> <li>• Solder Ends</li> <li>• NSF 1/2"-1"</li> </ul>		
28-8558	Ball Valve with Drain; Cop	1/2	5063	80
28-8560	Ball Valve with Drain; Cop	3/4	5063	60
28-8561	Ball Valve with Drain; Cop	1	5063	45



5544F



5549F



5020



4880

Code#	Description	Size	Mfg#	Box Qty
-------	-------------	------	------	---------

**5544F Brass Ball Valve**

- 150#WSP / 600# WOG
- Full Port
- Threaded Ends
- MSS-SP-110
- NSF 1/4"-2"
- FM Approved 1/2"-2"
- Forged Brass Body
- Adjustable Packing
- Blowout Proof Stem
- CSA 1/2 & 5 PSI (1/4"-3")
- UL Approved 1/2"-2"

28-9090	Ball Valve 150 IP	3/8	5544F	80
28-9100	Ball Valve 150 IP	1/2	5544F	80
28-9105	Ball Valve 150 IP	3/4	5544F	60
28-9110	Ball Valve 150 IP	1	5544F	45
28-9115	Ball Valve 150 IP	1-1/4	5544F	30
28-9120	Ball Valve 150 IP	1-1/2	5544F	24
28-9125	Ball Valve 150 IP	2	5544F	15

**5549F Brass Ball Valve**

- 150#WSP / 600# WOG
- Full Port
- Solder Ends
- NSF through 2"
- Forged Brass Body
- Adjustable Packing
- Blowout Proof Stem
- MSS-SP-110

28-9160	Ball Valve 150 CC	1/2	5549F	80
28-9165	Ball Valve 150 CC	3/4	5549F	60
28-9170	Ball Valve 150 CC	1	5549F	45
28-9175	Ball Valve 150 CC	1-1/4	5549F	30
28-9180	Ball Valve 150 CC	1-1/2	5549F	80
28-9185	Ball Valve 150 CC	2	5549F	80

**5020 Bronze Full Port EzPress Ball Valve**

- 600# WOG
- Dual EzPress Ends
- PTFE Seats
- Adjustable Packing
- AB1953 Certified
- DR-Brass Body
- Chrome Plated Ball
- Blow-Out Proof Stem
- MSS-SP-110

28-8500	Ball Valve Dual Crimp	1/2 COP	5020	50
28-8501	Ball Valve Dual Crimp	3/4 COP	5020	45
28-8502	Ball Valve Dual Crimp	1" COP	5020	40
28-8503	Ball Valve Dual Crimp	1-1/4 COP	5020	24
28-8504	Ball Valve Dual Crimp	1-1/2 COP	5020	20
28-8505	Ball Valve Dual Crimp	2" COP	5020	12

**4880 Stainless Steel Ball Valve**

- 2000# WOG/100# WSP
- Threaded Ends
- Blow-Out Proof Stem
- Mounting Pad
- MSS-SP-110
- 316 Stainless Steel 2-Piece Body
- Full Port
- Reinforced PTFE seats
- Locking Handle
- ANSI B116.34

28-8401	Ball Valve Stainless Steel	3/8	4880	1
28-8402	Ball Valve Stainless Steel	1/2	4880	1
28-8403	Ball Valve Stainless Steel	3/4	4880	1
28-8404	Ball Valve Stainless Steel	1	4880	1



5200L

Code#	Description	Size	Mfg#	Box Qty
<b>5200L Brass Gas Ball Valve</b>				
<ul style="list-style-type: none"> <li>• 175 PSI Brass Body</li> <li>• Threaded Ends</li> <li>• UL 175 PSI Approved</li> <li>• Lever handle</li> <li>• 2-Piece Body</li> <li>• CSA 1/2 &amp; 5 PSI Approved</li> <li>• ANSI Z.21.15</li> </ul>				
28-0111	Ball Valve Gas	1/2	5200L	45



5211

<b>5211 Brass Gas Ball Valve</b>				
<ul style="list-style-type: none"> <li>• 175 PSI Brass Body</li> <li>• Threaded Ends</li> <li>• ANSI Z.21.15</li> <li>• 5211 = 1/2" IPS x 1/2" Flare</li> <li>• 2-Piece Body</li> <li>• CSA 1/2 &amp; 5 PSI Approved</li> <li>• 5210 = 1/2" IPS x 3/8" Flare</li> <li>• 5221 = 3/4" IPS x 15/16" Flare</li> </ul>				
28-0103	Ball Valve Gas	1/2	5211	120



223

<b>223 Stop Valve with Drain (CxC)</b>				
<ul style="list-style-type: none"> <li>• Solder Joint Ends</li> </ul>				
28-6792	Stop Valve with Drain	3/4 COP	223	12



252

<b>252 Silcock (IPS)</b>				
<ul style="list-style-type: none"> <li>• Screwed End x Hose</li> </ul>				
28-0300	Silcock FIP x Hose Thread	1/2	RW-252	48
28-0305	Silcock FIP x Hose Thread	3/4	RW-252	48



272

<b>272 Silcock (CxC)</b>				
<ul style="list-style-type: none"> <li>• Solder Joint End x Hose</li> </ul>				
28-0315	Silcock Cop x Hose Thread	3/4	RW-252	48



504

<b>504 Boiler Drain (No-Kink Spout)</b>				
<ul style="list-style-type: none"> <li>• 125# CWP</li> <li>• No-Kink Spout</li> <li>• End Connection: Male Thread x Hose (1/2" size will also accept copper tube for solder joint)</li> <li>• Brass Body</li> <li>• NSF Approved</li> </ul>				
28-6749	1/2 Cop/MPT x Hose Thread	1/2	RW-504	48
28-6752	3/4 MPT x Hose Thread	3/4	RW-504	48